

Flexy 205 for Industrial Data Solutions

IIoT Gateway and Remote Access Router

The Ewon Flexy 205 is an advanced internet data gateway that allows Machine Builders to monitor and collect vital KPIs for analysis and predictive maintenance.



Flexy 205

IIoT Gateway and Remote Access Router

Data Acquisition

- Support all major PLC protocols (Siemens, Rockwell, Mitsubishi, Schneider and many others + Modbus, OPC UA, BACNet/IP).
- Enable alarming, machine KPIs, historical logging.

Data Logging and Retrieval

- Log up to one million time-stamped data values.
- Logged files can be easily retrieved or sent for data aggregation and analysis using HTTPS, MQTT or FTP.

E-mail & SMS Notifications

- Configure alarms on key parameters.
- Send notifications by e-mail or SMS using Talk2M services.

OPC UA

• Embedded to offer easy-to-deploy data integration within factories.

Local Dashboard

- Embed web dashboards (HMTL5) to present real-time machine data.
- Use the M2Web service to monitor the dashboards from smartphones or tablets.

Programmable using Basic Scripting or JAVA

- Customize your gateway with Basic Scripting.
- Develop a Java application for advanced features such as adding a custom I/O driver, optimizing your application or to integrate with 3rd party applications.

Secure Remote Access

- · Allow service engineers to troubleshoot and tune equipment without going on site.
- Secure VPN Remote connectivity using the built-in Ethernet, WiFi or Cellular (extension cards).

Modular router

 2 slots available to insert extension cards and benefit from wide flexible connectivity.



ISECOM STAR and ISO 27001 certifications.

to Schweider Day or

Added value through Solution Partners

Flexy 205 is tested and validated as a Partner Enabled Product within the HMS Solution Partner Program.

> Your business application

Remote Services



Microsoft Azure

PREDIX



€2

ເອັລັກສະຸທາ

Hill Bluemix







"The first implementation has been so positive that we've decided to equip all our new installations with Flexy 205 as standard."

Peter Teunen, Technical Superintendent at DEME Group

Flexy205	IIOT Gateway and Remote Access Router						
	Switch	Configurable LAN/WAN switch; 4x10/100Mb					
	SD card reader	Yes					
	Input/Output	2xDI, 1xDO					
	Historical logging	1 million time-stamped points					
	Power Supply	12-24 VDC +/-20%, LPS					
	Temperature range	-25°C to +70°C					
	Marking	CE FUIs FCC					
	Warranty	36 months					
	Product ref.	Flexy205					

Extension cards

	WAN			FIELD				
	4G LTE	3G+	WiFi	MPI	2 Serial ports	I/O	3 USB ports	
Ext. cards								
Product ref.	FLB3204 (EU) FLB3205 (NA) FLB3203 (Verizon)	FLB3202	FLB3271	FLC3701	FLA3301	FLX3402	FLB3601	
For additional cards (Ethernet/WAN, PSTN,), please contact your sales representative								
Download Datasheet from our website www.ewon.biz								

Service & Support: Yaskawa Europe GmbH

Ohmstraße 4 91074 Herzogenaurach Germany Tel.: +49 9132 744 1150 E-Mail: support@vipa.de

You can find the product data sheets here: http://www.vipa.com/en/products/teleservice/

You can find the manuals here: http://www.vipa.com/en/service-support/manuals/networking-components/



www.ewon.biz